PINOJOSCH®

TECHNICAL DATA SHEET

AUTORIZACION SANITARIA: N° 2692/2021/DCEA/DIGESA

DOMESTIC, INDUSTRIAL AND PUBLIC HEALTH USE

DISINFECTANT - ALL-PURPOSE CLEANER

COMPOSITION

Pine essential oil	. 2.00	%
Isopropyl alcohol	. 2.00	%
Alkyldimethylamine oxide	19.20	%
Water	76 80	%

PROPERTIES

PINOJOSCH® is a surface disinfectant cleaner, formulated with pine essential oil and isopropyl alcohol, a synergistic combination that makes it very effective against pathogenic microorganisms; the non-ionic surfactants enhance the microbicidal action by its detergent capacity, cleans and perfumes with a pleasant pine scent in one step. Its spectrum of microbicidal action includes gram-positive bacteria such as: Staphylococcus aureus, Bacillus subtilis. Gram-negative bacteria: Escherichia coli, Salmonella entérica.

INDICATIONS FOR USE AND DOSING

PINOJOSCH®, is indicated for the disinfection and cleaning of surfaces in the domestic, industrial and public health for the control of pathogenic microorganisms that affect humans and animals.

APPLICATION DOSING: General Disinfection: Dilute 200 mL of PINOJOSCH® in 1 liter of water.

APPLICATION METHOD: Before application, wash the surface to be disinfected removing organic matter. **PINOJOSCH**®, is applied using a sponge, soft cloth, mop, and spread the product evenly.

WARNINGS AND CAUTIONS

- Avoid direct contact of the product with the respiratory tract of the operator, eyes and skin.
- Use only in the recommended dosing, avoid mixing with other products.

FIRST AID

If accidental contact with eyes or skin occurs, immediately flush affected area with plenty of water. In case of severe and persistent irritation, seek medical attention immediately.

In case of accidental ingestion, do not induce vomiting, seek medical attention and show the product label.

After handling the product wash hands or exposed parts with soap and water. Do not eat, drink or smoke while handling the product.

TOXICOLOGICAL INFORMATION

Acute Oral Toxicity LD50: Greater than 2000 to 5000 mg/kg body weight (category 5, GHS-2019), Acute Dermal Toxicity LD50: Greater than 2000 to 5000 mg/kg body weight (category 5, GHS-2019), Acute Inhalation Toxicity LC50: Greater than 5.0 mg/L air (4 hours continuous exposure) (category 5, GHS-2019).

Toxicological Category: III Slightly hazardous.

POISON CONTROL CENTER

CICOTOX: Phone (511)328-7398; (511) 619-7000

PRESENTATION

Bottle for 850 and 900 mL. 5 L gallon.

STORAGE

Keep out of the reach of children and domestic animals. Store the product in a cool and dry place, between 15 °C and 30 °C, protected from light, in its original, labeled and closed container.











Av. Los Cóndores Mz, K-1-C, Santa María de Huachipa, Lurigancho. Lima - Perú Switchboard: (511) 371-0390, (511) 371-0271 Email: ventas@quimica-josch.com Web: www.grupodrogavet.com.pe